



Police Headquarters, Chhattisgarh
Sector- 19, Naya Raipur- 492 002, Chhattisgarh
Tel No: + 91 771-2511606, Website: www.cgpolice.gov.in

Corrigendum -4

Date: 03-10-2017

Name of the work: “**Selection of Implementation Agency for Chhattisgarh State Dial 112 Emergency Response System**”

With reference to the **NIT No. RFP No- PHQ/Tech Ser./P1/166/17 dated 11th August 2017**; the following clarifications are issued in Corrigendum-4.

S. No	RFP/Corrigendum Reference	Existing Clause	Revised Clause
1.	Corrigendum- 3	Last date (deadline) for submission of the bid- 03rd October 2017 by 12:00 PM. Bidder to submit softcopy also along with hardcopy.	To be read as: Last date (deadline) for submission of the bid- 05th October 2017 by 3:00 PM. Bidder to submit softcopy also along with hardcopy.
2.	Annexure- 1 Pre-bid query post corrigendum-3		

Note: All other terms and conditions shall remain same.

Additional Director General of Police
(Technical Services)
Chhattisgarh Police

Annexure- 1 Pre-bid queries post release of corrigendum 3

S No	RFP Section	Corrigendum -3	Clarification Sought	Response to Queries
1.	General	Point 18- Air Conditioning of C4	As per 3rd Corrigendum AC for Naya Raipur C4 and Naya Raipur Data Centre is in bidder's scope, so kindly specify the total carpet area of Naya Raipur C4 & Data Centre for calculating the HV AC capacity.	New C4 & DC in Naya Raipur will be similar to existing control room & DC in Raipur. Bidders are free to do survey of existing control room and data center.